	L #	Hits	Search Text
1	L10	975	(gateway firewall router switch intermediate proxy) same (session connection link$3 channel) adj3 (id identifier number value indicator vector pointer reference) same (secur$4 grant$3 permi$4 authenticat$3 authoriz$5 encrypt lock$3 guarant$3)
2	L11	413	(gateway firewall router switch intermediate proxy) same (session connection link$3 channel) adj3 (id identifier number value indicator vector pointer reference) with (secur$4 grant$3 permi$4 authenticat$3 authoriz$5 encrypt lock$3 guarant$3 restrict$3 private personal)
3	L12	406	(gateway firewall router switch intermediate proxy) same (session connection link$3 channel) adj3 (id identifier number value indicator vector pointer reference) with (secur$4 grant$3 permi$4 authenticat$3 authoriz$5 lock$3 guarant$3 restrict$3 private)
4	L13	17	12 and end$5 adj2 end$5 and (based depend associat$3 accord$3 correspon$4) with (route path routing)
5	L15	2	13 and (tree topology directory structure hierarch$4) with (map$4 match$3 compar$5 mask$3)
6	L16	2782	(gateway firewall router switch intermediate proxy) and (session connection link$3 channel) adj3 (id identifier number value indicator vector pointer reference) with (secur$4 grant$3 permi$4 authenticat$3 authoriz$5 lock$3 guarant$3 restrict$3 private)
7	L17	1555	end$5 adj2 end$5 and (based depend associat$3 accord$3 correspon$4) with (route path routing) and (tree topology directory structure hierarch$4) with (map$4 match$3 compar$5 mask$3)
8	L18	28	16 and 17
9	L19	5351	(gateway firewall router switch intermediate proxy) and (session connection link$3 channel) near3 (id identifier number value indicator vector pointer reference) with (secur$4 grant$3 permi$4 authenticat$3 authoriz$5 lock$3 guarant$3 restrict$3 private ensure)
10	L20	58	17 and 19

	L #	Hits	Search Text
11	L21	3765	(session connection link$3 channel) adj3 (id identifier number value indicator vector) with (secur$4 grant$3 permi$4 authenticat$3 authoriz$5 lock$3 guarant$3 restrict$3 private ensure)
12	L22	688	end$5 adj2 end$5 and (based depend associat$3 accord$3 correspon$4) near5 (route path routing) and (tree topology directory structure hierarch$4) near5 (map$4 match$3 compar$5 mask$3)
13	L23	23	21 and 22
14	L24	2465	(session connection link$3 channel) adj3 (id identifier number value indicator vector) with (secur$4 grant$3 authenticat$3 authoriz$5 lock$3 restrict$3)
15	L25	404	(session connection link$3 channel) adj3 (id identifier) with (secur$4 grant$3 authenticat$3 authoriz$5 lock$3 restrict$3)
16	L26	14	25 and 22

	L #	Hits	Search Text
1	L35	272	(calculat$3 computing predict$3 estimat$3) with (path route routing) with (high$3 best most) adj5 (resource perform$4 bw bandwidth speed rate operat$3 servic$3 qos)
2	L36	46	(calculat$3 computing predict$3 estimat$3) with (along based accord$3 associat$3 correspon$4) with (path route routing) with (high$3 best most) adj5 (resource perform$4 bw bandwidth speed rate operat$3 servic$3 qos)
3	L37	11	(request$3 requir$5) with (calculat$3 computing predict$3 estimat$3) with (along based accord$3 associat$3 correspon$4) with (path route routing) with (high$3 best most) adj5 (resource perform$4 bw bandwidth speed rate operat$3 servic$3 qos)
4	L38	991	(request$3 requir$5) with (along based accord$3 associat$3 correspon$4) with (path route routing) with (high$3 best most)
5	L39	110972	(map$4 match$3 compar$5) near5 (tree directory topology hierarch$3 parameter variable characteristic)
6	L40	107	38 and 39
7	L41	14	40 and (session link connection channel) adj2 (id number identifier)

	Hits	Search Text
1	14	topology near3 mapping and grant$3 with (request session connect$3 link$3)
2	6	(topology near3 mapping and grant$3 with (request session connect$3 link$3)) and (authenticat$3 authoriz$5 restrict$3 private validat$5 verif$7) and (high$3 best most current$2 desired expect$2) with (bandwidth perfom$4 resource capacity priority qos service quality)
3	8	topology near3 mapping and (request session connect$3 link$3) with(grant$3 allow permi$4 authenticat$3 authoriz$5 restrict$3 private validat$5 verif$7 secur$3) same (high$3 best most current$2 desired expect$2) with (bandwidth perfom$4 resource capacity priority qos service quality)
4	11	topology with mapping and (request session connect$3 link$3) with(grant$3 allow permi$4 authenticat$3 authoriz$5 restrict$3 private validat$5 verif$7 secur$3) same (high$3 best most current$2 desired expect$2) with (bandwidth perfom$4 resource capacity priority qos service quality)
5	74	(request session connect$3 link$3) near3 (id identifier restrict$3 private) with (grant$3 allow permi$4 authenticat$3 authoriz$5 validat$5 verif$7 secur$3) same (high$3 best most current$2 desired expect$2) with (bandwidth perfom$4 resource capacity priority qos service quality)
6	2686	(topology mapp$3) same (request session connect$3 link$3) with (grant$3 allow permi$4 authenticat$3 authoriz$5 restrict$3 private validat$5 verif$7 secur$3)
7	8	((request session connect$3 link$3) near3 (id identifier restrict$3 private) with (grant$3 allow permi$4 authenticat$3 authoriz$5 validat$5 verif$7 secur$3) same (high$3 best most current$2 desired expect$2) with (bandwidth perfom$4 resource capacity priority qos service quality)) and ((topology mapp$3) same (request session connect$3 link$3) with (grant$3 allow permi$4 authenticat$3 authoriz$5 restrict$3 private validat$5 verif$7 secur$3))

	L #	Hits	Search Text
1	L1	1095	(receiv$3 accept$3 obtain$3 excut$3 perform$4 moniotr$3 detect$4 select$4 identif$4 filter$3 discover$3) with request$3 with (based accord$3 associat$3 correspon$4) adj5 (resource capacity bw bandwidth condition$3 status)
2	L2	365404	condition with (maximum high$3 best most)
3	L3	10782	(grant$3 authoriz$5 authenticat$3 secur$3 permi$4 validat$3 certif$4) near3 request
4	L4	18	1 and 2 and 3 and object and manag$5 and session
5	L5	3	1 and 2 and 3 and object and manag$5 and session adj3 (id identifier number value indicator vector pointer)
6	L6	6	1 and 2 and 3 and map$4 and manag$5 and session
7	L7	6	1 and 2 and 3 and map$4 near5 (topology apparatus hierarch$5 network$3 tree directory structure) and manag$5 and (link$2 connection channel session) adj3 (id identifier number value indicator vector pointer)
8	L8	3693	request$3 with (based accord$3 associat$3 correspon$4) adj5 (resource capacity bw bandwidth condition$3 status parameter indicator qos serive perform$4)
9	L9	609589	(status state condition) with (maximum high$3 best most great$3)
10	L10	16378	(grant$3 authoriz$5 authenticat$3 secur$3 permi$4 validat$3 certif$4 accept$4 approv$3) near3 request
11	L11	7	8 same 10 same 9
12	L12	3218	(manag$5 control$4) with (resource bandwidth bw) .ab.
13	L13	64	8 and 10 and 9 and 12
14	L14	16	13 and mapping

	L #	Hits	Search Text
1	L5	3215	(high most best) adj5 (condition perform$4 service quality qos bandwidth rate speed) with (require$4 request$3) with (grant$3 privile$5 authenticat$3 authoriz$6 permi$4 allow$3 approv$3)
2	L6	58	5 and (logical virtual) adj5 (path route routing)
3	L10	1994	5 and (router gateway intermediate firwall switch$3 proxy server) samesession adj (id identifier)
4	L13	1	5 and (router gateway intermediate firwall switch$3 proxy) and session adj (id identifier)
5	L14	1	5 and (router gateway intermediate firwall proxy) and session adj2 (id identifier)
6	L15	8873	(high most best) adj5 (condition perform$4 service quality qos bandwidth rate speed) with (require$4 request$3) same (grant$3 privile$5 authenticat$3 authoriz$6 permi$4 allow$3 approv$3)
7	L16	1	15 and (router gateway intermediate firwall proxy) same session adj2 (id identifier)
8	L17	4515	(high$3 most best) adj5 (condition perform$4 service quality qos bandwidth rate speed) with (require$4 request$3) with (grant$3 privile$5 authenticat$3 authoriz$6 permi$4 allow$3 approv$3 secure$3 verif$4 certif$7)
9	L18	197	5 and (session (logical virtual) adj5 (path route routing link channel))
10	L19	1	18 and (router gateway intermediate firwall proxy) and session adj2 (id identifier)
11	L20	130	(high$3 most best) adj5 (condition perform$4 service quality qos bandwidth rate speed) with (require$4 request$3) with (grant$3 privile$5 authenticat$3 authoriz$6 permi$4 allow$3 approv$3 secure$3 verif$4 certif$7).ab.
12	L21	139	(high$3 most best) adj5 (condition perform$4 service quality qos bandwidth rate speed) with (require$4 request$3) with (grant$3 privile$5 authenticat$3 authoriz$6 permi$5 allow$3 approv$3 secure$3 verif$4 certif$7).ab.
13	L22	9	(high$3 most best) adj5 (condition perform$4 service quality qos bandwidth rate speed) with (require$4 request$3) with (grant$3 privile$5 authenticat$3 authoriz$6 permi$5 allow$3 approv$3 secure$3 verif$4 certif$7) same (router gateway intermediate firwall switch$3 proxy).ab.

	L #	Hits	Search Text
14	L23	75	(high$3 most best) adj5 (condition perform$4 service quality qos bandwidth rate speed) with (require$4 request$3) with (grant$3 privile$5 authenticat$3 authoriz$6 permi$5 allow$3 approv$3 secur$4 verif$4 certif$7) same (router gateway intermediate firwall switch$3 proxy) same (path session rout$3)
15	L26	11	23 and (logical virtual) near3 (route path channel link connection)
16	L28	29	(high$3 most best) adj5 (condition perform$4 service quality qos bandwidth rate speed) with (require$4 request$3) with (grant$3 privile$5 authenticat$3 authoriz$6 permi$5 secur$4 verif$4 certif$7) same (router gateway intermediate firwall switch$3 proxy) same (path session rout$3)
17	L29	4	26 and 28
18	L30	11	(provate restricted secur$5 encrypt$3 encod$3 validat$3 certf$7) with session adj3 (id identifier) with (router gateway intermediate firwall switch$3 proxy)

	L #	Hits	Search Text
1	L1	43	(gateway router) with session near3 (id identifier)
2	L2	9672	(logical virtual) adj2 (route path link connection)
3	L3	12417	(set plurality multiple different) adj3 (resources servers)
4	L4	9	1 and 2 and 3